



EMERSON™

## XM600 for multiplexed cabinet controllers

New refrigerants in the 5.4d version

PN 06/21 SEPTEMBER










The XM600 series for multiplexed is performance enhanced, efficient and flexible to satisfy the needs of the market. We've focused attention on environmentally friendly solutions with the introduction of new, low GWP refrigerants in the 5.4d version.

It is possible to update the list of new gases directly from the field and via software in order to keep aligning with market trends and current regulations. The new 5.4d version is compatible with our XWEB monitoring systems and Wizmate libraries.

## 1. Refrigerant update

Below is the complete list of compatible refrigerants selectable from **Fty** parameter.

Fty PARAMETER	REFRIGERANT	OPERATING TEMPERATURE
r22	r22	-50-60°C/-58÷120°F
134	r134A	-50-60°C/-58÷120°F
290	r290 – Propane	-50-60°C/-58÷120°F
404	r404A	-70-60°C/-94÷120°F
47A	r407A	-50-60°C/-58÷120°F
47C	r407C	-50-60°C/-58÷120°F
47F	r407F	-50-60°C/-58÷120°F
410	r410A	-50-60°C/-58÷120°F
448	r448A	-45-60°C/-69÷120°F
449	r449A	-45-60°C/-69÷120°F
450	r450A	-45-60°C/-69÷120°F
507	r507	-70-60°C/-94÷120°F
513	r513A	-45-60°C/-69÷120°F
CO2	r744 - Co2	-50-60°C/-58÷120°F
15b 	r515b	-50-60°C/-58÷120°F
54A 	r454A	-50-60°C/-58÷120°F
54b 	r454B	-50-60°C/-58÷120°F
54C 	r454C	-50-60°C/-58÷120°F
55A 	r455A	-40-60°C / -40-120°F
4yF 	r1234yf	-50-60°C/-58÷120°F
4EE 	r1234ze	-50-60°C/-58÷120°F

## 2. List of codes

The variation of available gases for XM600 family concerns these codes below:

MODEL	CODE
XM668D-2P1C1	X0MGEDDIC240-S00
XM678D-2N3C1	XAA004AA8 00-00A
XM678D-2N1C1	X0MGHIDOC230-S0A
XM678D-2N3C0	X0MGHIDOK220-S01
XM678D-2N1C2	X0MGHJDOD200-S00
XM678D-2N3C3	X0MGHJDOJ210-S0A
XM678D-2N3C2	X0MGHJDOK230-S00
XM678D-2N3C2	X0MGHJDOK230-S01
XM678D-2C1GDB	X0MHHJIMG2NA-001
XM669K-5P1CC	X0MGFDDIG500-S0A
XM669K-5P3CC	X0MGFDDIN500-S0A
XM669K-5O1C1	X0MGFDDOC5AA-S00
XM669K-5N1C0	X0MGFDDOD530-S01
XM669K-5P1C1	X0MGFDDIC520-S00
XM670K-5N0C1	X0MFGIDOC510-S00
XM670K-5N3C1	X0MGGIDOJ500-S00
XM670K-5N3C3	X0MGGJDOJ520-S00
XM670K-5N3C2	X0MGGJDOK520-S00
XM670K-4D1FDB	X0MGGJING4NA-001
XM679K-5N3C3	XAA004AA8 10-001
XM679K-5P3C1	X0MGIIDIJ510-I00
XM679K-5P3C1	X0MGIIDIJ510-S00
XM679K-5P3C0	X0MGIIDIK530-S01
XM679K-5N1C0	X0MGIIDOD530-S00
XM679K-5N1C0	X0MGIIDOD530-I00
XM679K-4N3C2	X0MGIJDOK400-S00
XM679K-5N3C2	X0MGIJDOK520-S00
XM679K-5N3C2	X0MGIJDOK520-I01
XM679K-5N3C2	X0MGIJDOK520-S01
XM679K-5N3C7	X0MGIJDOM5AE-001
XM679K-4D1FDB	X0MGIJING4NA-001
XM679K-4N3FD	X0MGIJION400-S01
XM679K-5N3C4	X0MGIKDOK520-S00

## 3. Pricing

Please contact our sales department for prices and further information.

## 4. Availability and orders

The XM600 series 5.4d version is available. Please contact our sales department for delivery time.